

Single & Bouquet Kit Assembly



Vertical
Bracket

Magnetic
Bracket



Table Top
Bracket




Bouquet
Stand

Please inflate all balloons within 30 days of purchase to comply with Warranty Guidelines.

INFLATION/ASSEMBLY


2.1

Twist as you push the balloon opening down onto inflation port of valved cup. Make sure the balloon is seated all the way at the bottom of the valved cup.



Inflate using a pump or compressor compatible with a needle-style inflation tip. Moisten needle before inserting and slowly push while twisting into black valve. Inflate to a 8 1/2" diameter or 26.7" circumference. Place a finger next to the needle and threaded end of valved cup to prevent valve from coming out upon needle removal.


NOTE: Wear safety glasses during inflation.



STEM/ATTACHMENT


2.2

Attach stem to cup by placing the (optional) ribbon opening over the threaded end of the cup and threading tightly together until they click-lock securely in place.




CARD HOLDER ATTACHMENT

(Sold separately)



2.3

NOTE: Additional balloons and hardware included with 3-Balloon and 4-Balloon Bouquet Kits. Repeat assembly, inflation and attachment process with the remaining balloons and hardware included.



2.4 Find your mounting option below and follow the instructions to mount your kit.

STEM PLACEMENT (All Mounting Options)

- 1-Long Stem
- 2-Short Stem
- 3-Short Stem
- 4-Short Stem



- 1-Long Stem
- 2-Short Stem
- 3-Short Stem
- 4-Short Stem




BOUQUET STAND MOUNT

Place Base directly onto any flat surface. The weight of the base plus the kit will keep it from tipping over in most cases, so no adhesive is needed.



MAGNETIC BRACKET MOUNT

Place Magnetic Bracket directly onto metal surface. Rubber grips keep it from sliding out of place and tipping over. Pull bracket directly away from surface to remove.




SCREW ATTACHMENT



Mount the Vertical Bracket to any wood, plastic or metal surface with the included self-tapping screws, or other screws compatible with this mounting bracket.

VERTICAL BRACKET MOUNT

OR



ADHESIVE ATTACHMENT

Attach the Vertical Bracket to any clean, smooth surface with included adhesive tape by removing the red protective plastic. Press bracket onto surface with firm pressure for a minimum of 60 seconds.


TABLE TOP MOUNT

- 1** Peel off protective plastic.

- 2** Place onto clean, smooth surface.

- 3** Press downward firmly for 60 seconds for most secure fitting.

PEEL OFF



Hold Down

60 Sec

NOTE: Make sure to place kit in area that is clear of obstructions to not interfere with balloons. Reusable after rinsing with soapy water.